

Brother PT-H500 label printer 180 x 180 DPI 30 mm/sec Wired TZe QWERTY

Brand : Brother

Product code: PT-H500

Product name : PT-H500

TZe, 30 mm/sec, 180 dpi, QWERTY, LCD, USB 2.0

Brother PT-H500 label printer 180 x 180 DPI 30 mm/sec Wired TZe QWERTY:

This rechargeable label maker is great for professionals looking for portability, as well as the ability to create more customized labels using a computer.

The large, keyboard-style layout enables easy and accurate typing when on-the-go or standing, while the sizeable, Brother™ Vivid Bright graphic display and intuitive one-touch formatting keys support labeling in most any environment.

For added functionality, connect to your PC/Mac via the included USB cable to create labels using the included P-touch Editor label design software. Create custom labels using logos, TrueType® fonts or symbols on your PC or Mac.

Brother PT-H500. Keyboard layout: QWERTY. Tape type: TZe. Maximum resolution: 180 x 180 DPI, Print speed: 30 mm/sec. Connectivity technology: Wired. Product colour: Black



Printing		Design	
Maximum resolution *	180 x 180 DPI	Display number of lines	3 lines
Print speed *	30 mm/sec	Display number of characters	16
Maximum printing width *	2.4 cm	Keyboard layout	QWERTY
Maximum print height	1.8 cm	Power	
Vertical printing	✓	Number of batteries supported	6
Paper handling		Auto power off	✓
Autocutter	✓	Rechargeable	✓
Maximum label width	2.4 cm	System requirements	
Ports & interfaces		Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64	
Connectivity technology *	Wired		
Ethernet LAN *	✗		
Wi-Fi *	✗		
USB port *	✓		
PC connected	✓		
USB 2.0 ports quantity	1	Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion	
Performance		Windows operating systems supported	
Built-in barcodes	CODABAR (NW-7), Code 128 (A/B/C), Code 39, EAN128, EAN13, EAN8, GS1-128, ITF, UPC-A, UPC-E	Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64	
Number of fonts	14	Mac operating systems supported	
Tape type	TZe	Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion	
Tape cutting	Automatic	Weight & dimensions	
Image formats supported	BMP, JPG, TIF	Width	122 mm
Number of styles	10	Depth	245 mm
Number of printing lines (max)	7	Height	91 mm
Underline	✓	Weight	830 g
Design			
Product colour *	Black		
Display *	LCD		
Backlight display	✓		

Packaging data

Package weight	1.65 kg
----------------	---------

Packaging content

Cables included	USB
-----------------	-----

Quick start guide	✓
-------------------	---

Logistics data

Harmonized System (HS) code	84433210
-----------------------------	----------

Other features

Print preview	✓
---------------	---

Label memory	50 label(s)
--------------	-------------

Number of frames	99
------------------	----



4977766732086



4977766729567



4977766732123




4977766732048



4977766729604



4977766729581



4977766732062

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.