



LG 49VL5G Signage Display Digital signage flat panel 124.5 cm (49") 500 cd/m² Full HD Black 24/7



Brand : LG

Product code: 49VL5G

Product name : 49VL5G



- Brightness(Typ.) : 500 cd/m²
 - Bezel : 2.25 mm (T/L), 1.25 mm (B/R)
 - Depth : 89.7 mm
 - Interface : HDMI/ DP/ DVI-D/ USB/ RS232C/ RJ45/ Audio/ IR
 49" 1920 x 1080 IPS, 500nit, 60Hz, 16:9, 8 ms, HDMI, DP, DVI-D, USB, RS232C, RJ45, IR
 LG 49VL5G. Product design: Digital signage flat panel. Display diagonal: 124.5 cm (49"), Display resolution: 1920 x 1080 pixels, Display brightness: 500 cd/m², HD type: Full HD. Operating hours (hours/days): 24/7. Product colour: Black



Display		Design	
Panel type	IPS	Bezel width (side)	1.25 mm
LED backlighting type	Direct-LED	Bezel width (top)	2.25 mm
Display diagonal *	124.5 cm (49")	Mounting type	Wall
Display resolution *	1920 x 1080 pixels	Performance	
Display brightness *	500 cd/m ²	Purpose *	Commercial
HD type *	Full HD	On Screen Display (OSD)	✓
Native aspect ratio	16:9	Number of OSD languages	20
Response time	8 ms	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Italian, Japanese, Korean, Norwegian, Portuguese, Russian, Swedish
Contrast ratio (typical)	1000:1	Operating hours (hours/days)	24/7
Contrast ratio (dynamic)	500000:1	Power	
Viewing angle, horizontal	178°	Power consumption (typical) *	100 W
Viewing angle, vertical	178°	Power consumption (off)	0.5 W
Display number of colours	1.07 billion colours	Energy efficiency class (SDR)	G
Panel life	50000 h	Energy consumption (SDR) per 1000 hours	80 kWh
Rated lifetime	60000 h	AC input voltage	100 - 240 V
Native refresh rate	60 Hz	AC input frequency	50 - 60 Hz
Haze rate	3%	Heat dissipation	341 BTU/h
Ports & interfaces		Energy efficiency scale	A to G
HDMI ports quantity *	2	Weight & dimensions	
HDMI version	1.4	Display width	1077.6 mm
HDMI input ports quantity	2	Display depth	89.7 mm
DVI port *	✓	Display height	607.8 mm
DVI-D ports quantity	1	Display weight	16.9 kg
DisplayPorts quantity *	2	Packaging data	
DisplayPorts in	1	Package width	1214 mm
DisplayPorts out	1	Package depth	263 mm
USB port *	✓	Package height	778 mm
USB ports quantity	1	Package weight	29.3 kg
Ethernet LAN *	✓		
Ethernet LAN (RJ-45) ports	1		
Audio (L/R) in	1		
Audio (L/R) out	1		
RS-232 interface	✓		
RS-232C	✓		
Remote (IR) input	1		

Design		Packaging content	
Product design *	Digital signage flat panel	Remote control included	✓
Placement supported *	Indoor	Batteries included	✓
Orientation	Horizontal/Vertical	Cables included	AC, RS-232
Product colour *	Black	Operational conditions	
VESA mounting *	✓	Operating temperature (T-T)	0 - 40 °C
Panel mounting interface	600 x 400 mm	Operating relative humidity (H-H)	10 - 80%
Bezel width (bottom)	1.25 mm	Logistics data	
		Harmonized System (HS) code	85285210
		Features	
		Heat dissipation (max)	409 BTU/h



8806091135636



8806091561855

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.