

ZYXEL

Zyxel GS1915-24E Managed L2 Gigabit Ethernet (10/100/1000) 1U Black

Brand : Zyxel

Product code: GS1915-24E-GB0101F

Product name : GS1915-24E



- Supports Nebula to offer a unified cloud network experience, from wired, wireless to security gateway
 - Nebula cloud management allows easy deployment, real-time configurations and effortless access to all your cloud devices anywhere, anytime
 - Facilitate wide variety of network setups with flexible PoE budget of both 60 W (8EP) and 130 W (24EP) with all PoE ports supporting IEEE 802.3at PoE+
 - Immediately check the Switch status by cloud indicator
 - Compact and near-silent design is ideal for any working environment
- GS1915-24E, 24-port GbE Smart hybrid mode Switch, standalone or NebulaFlex Cloud, rackmount, fanless, GB

Management features		Multicast features	
Switch type *	Managed	Multicast support	✓
Switch layer	L2	Protocols	
Quality of Service (QoS) support	✓	Management protocols	SNMP v1, v2c, v3
Web-based management	✓	Design	
Cloud-managed	✓	Rack mounting *	✓
MIB support	✓	Form factor	1U
Ports & interfaces		Product colour	Black
Basic switching RJ-45 Ethernet ports quantity *	24	LED indicators	✓
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Wall mountable	✓
Network		Performance	
Networking standards *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	Fanless	✓
10G support *	✗	Mean time between failures (MTBF)	674068 h
Port mirroring	✓	Power	
Flow control support	✓	Power source *	AC
Broadcast storm control	✓	Power supply included *	✓
Spanning tree protocol	✓	AC input voltage	100 - 240 V
Ethernet LAN data rates	100,1000 Mbit/s	AC input frequency	50 - 60 Hz
VLAN support	✓	Power consumption (max)	15.5 W
Virtual LAN features	Port-based VLAN	Power over Ethernet (PoE)	
Data transmission		Power over Ethernet (PoE) *	✗
Switching capacity *	48 Gbit/s	Operational conditions	
Forwarding rate	35.7 Mpps	Operating temperature (T-T)	0 - 40 °C
MAC address table *	8000 entries	Storage temperature (T-T)	-40 - 70 °C
Jumbo frames support	✓	Operating relative humidity (H-H)	10 - 95%
Jumbo frames	9000	Heat dissipation	53 BTU/h
Packet buffer memory	525 MB	Weight & dimensions	
		Width	267 mm
		Depth	162 mm
		Height	42 mm

Security		Weight & dimensions	
DHCP features	DHCP client, DHCP relay	Weight	1.57 kg
IGMP snooping	✓	Packaging data	
Security algorithms	HTTPS, SHA-2, SSH-2, SSL/TLS	Package width	325 mm
SSH/SSL support	✓	Package depth	223 mm
Loop protection	✓	Package height	71 mm
Password protection	✓	Package weight	2.05 kg



4718937626793

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.