


Gigabyte Z790 AERO G Motherboard - Supports Intel Core 14th CPUs, up to 7600MHz DDR5 (OC), 1xPCIe 5.0+4xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2x2

Brand : Gigabyte

Product code: Z790 AERO G

Product name : Z790 AERO G Motherboard - Supports Intel Core 14th CPUs, up to 7600MHz DDR5 (OC), 1xPCIe 5.0+4xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2x2



ATX, LGA 1700 socket, Intel Z790 Express chipset, 4x DDR5, Wi-Fi 6E, AMI UEFI BIOS

[Gigabyte Z790 AERO G Motherboard - Supports Intel Core 14th CPUs, up to 7600MHz DDR5 \(OC\), 1xPCIe 5.0+4xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2x2:](#)

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.



| Processor | | Rear panel I/O ports | |
|--|--|-------------------------------------|---|
| Processor manufacturer * | Intel | HDMI ports quantity * | 1 |
| Processor socket * | LGA 1700 | HDMI version | 2.0 |
| Compatible processor series * | Intel® Celeron®, Intel® Core™ i3, | DisplayPorts quantity | 1 |
| | Intel® Core™ i5, Intel® Core™ i7, | DisplayPort version | 1.4 |
| | Intel® Core™ i9, Intel® Pentium® Gold | Headphone outputs | 2 |
| Supported processor sockets | LGA 1700 | Microphone in | ✓ |
| Maximum internal memory supported by processor | 192 GB | S/PDIF out port | ✓ |
| | | WiFi-AP antenna jack | 2 |
| | | USB connector type | USB Type-A, USB Type-C |
| Memory | | Network | |
| Supported memory types * | DDR5-SDRAM | Ethernet LAN | ✓ |
| Number of memory slots * | 4 | Ethernet interface type | 2.5 Gigabit Ethernet |
| Memory slots type | DIMM | Wi-Fi * | ✓ |
| Memory channels | Dual-channel | Top Wi-Fi standard | Wi-Fi 6E (802.11ax) |
| ECC | ✓ | Wi-Fi standards | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax) |
| Non-ECC | ✓ | WLAN controller model | Intel Wi-Fi 6E AX211 |
| Supported memory clock speeds | 4000,4800,5200,5400,5600,5800,6000,6200,6400,6600,6800,7000,7200,7400,7600 MHz | Bluetooth | ✓ |
| Supported memory clock speed (max) | 7600 MHz | Bluetooth version | 5.3 |
| Maximum internal memory * | 192 GB | Features | |
| Unbuffered memory | ✓ | Motherboard chipset * | Intel Z790 |
| Storage controllers | | Audio chip | Realtek ALC1220-VB |
| Supported storage drive types | HDD & SSD | Audio output channels * | 7.1 channels |
| Supported storage drive interfaces * | M.2, PCI Express 4.0, PCI Express 5.0, SATA III | Product colour | Black |
| Number of HDDs supported | 4 | PC health monitoring | Fan, Temperature, Voltage, Water cooling |
| Number of storage drives supported | 9 | Component for * | PC |
| RAID support | ✓ | Motherboard form factor * | ATX |
| RAID levels | 0, 1, 5, 10 | Motherboard chipset family * | Intel |
| Graphics | | Windows operating systems supported | Windows 10 x64, Windows 11 x64 |
| Parallel processing technology support * | Crossfire | | |
| Maximum resolution | 4096 x 2304 pixels | | |
| HDCP | ✓ | | |
| DirectX version | 12.0 | | |
| Internal I/O | | | |
| USB 2.0 connectors * | 2 | | |

| | | | |
|---|---|--|------------------------------------|
| Internal I/O | | Expansion slots | |
| USB 3.2 Gen 1 (3.1 Gen 1) connectors * | 1 | PCI Express x16 slots | 3 |
| USB 3.2 Gen 2 (3.1 Gen 2) connectors * | 1 | Number of M.2 (M) slots | 5 |
| Number of SATA III connectors * | 4 | BIOS | |
| Total number of SATA connectors | 4 | BIOS type * | UEFI AMI |
| Front panel audio connector | ✓ | BIOS memory size | 256 Mbit |
| Front panel connector | ✓ | ACPI version | 5.0 |
| ATX Power connector (24-pin) | ✓ | Clear CMOS jumper | ✓ |
| CPU fan connector | ✓ | Desktop Management Interface (DMI) version | 2.7 |
| EPS power connector (8-pin) | ✓ | System Management BIOS (SMBIOS) version | 2.7 |
| TPM connector | ✓ | Logistics data | |
| Serial port headers | 1 | Country of origin | China |
| Thunderbolt headers | 2 | Products per shipping (inner) case | 1 pc(s) |
| 12V power connector | ✓ | Battery | |
| RGB LED pin header | ✓ | Battery weight | 3 g |
| Rear panel I/O ports | | Lithium weight per battery | 0.07 g |
| USB 2.0 ports quantity * | 2 | Number of battery cells | 1 |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * | 4 | Battery technology | Lithium-Manganese Dioxide (LiMnO2) |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity * | 2 | Battery type | CR2032 |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity * | 1 | Packaging data | |
| USB 3.2 Gen 2x2 Type-C ports quantity | 1 | Package width | 335 mm |
| Ethernet LAN (RJ-45) ports * | 1 | Package depth | 270 mm |
| | | Package height | 80 mm |
| | | Package weight | 2.48 kg |
| | | Weight & dimensions | |
| | | Width | 305 mm |
| | | Depth | 244 mm |
| | | Height | 35 mm |
| | | Packaging content | |
| | | Cables included | SATA |
| | | Batteries included | ✓ |
| | | Bundled software | Norton Internet Security |
| | | Technical details | |
| | | Warranty period | 3 year(s) |



4719331849610

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 08-JUL-2024. Prints or copies of Information are only valid on the printed Publication date