

j5create JCH377 USB-C® 7- Port Hub - EU/UK, Metallic Champagne

Brand: j5create Product code: JCH377-N

Product name: JCH377 USB-C® 7- Port Hub - EU/UK,

Metallic Champagne

- USB $^{\tiny{\text{TM}}}$ 2.0 and USB $^{\tiny{\text{TM}}}$ 1.0 compatible
- Extends your MacBook® or Notebook by 7 USB™ 3.0 ports with a single USB™ plug
- Elegant aluminum housing that is compact, non-toxic, and recyclable
- One port supports fast charging for smartphone, tablets, and iPads® up to 2.4A
- Supports USB™ bus-powered or DC self-powered for power-hungry USB™ devices

JCH377 USB-C® 7- Port Hub - EU/UK, Metallic Champagne



The JCH377 USB™ 3.0 SuperSpeed 7-Port HUB allows up to seven USB™ 3.0 devices to be connected simultaneously at a transmission speed of 5 Gbps, while still providing connectivity and support for the older USB™ 2.0 (480 Mbps) and 1.1 (12 Mbps) devices. It works with high-bandwidth SuperSpeed USB™ 3.0 devices, such as external disk drives, high-resolution webcams, video surveillance cameras, digital video cameras, multi-channel audio and more. In addition, it supports fast charging for smartphones, tablets and iPads®.





Ports & interfaces		Packaging data	
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Micro-B	Package weight	370.5 g
Hub interfaces *	USB 3.2 Gen 1 (3.1 Gen 1) Type-A	Package type	Box
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	7	Packaging content	
Ports quantity *	7	AC adapter included	1
Features		Cables included	USB Type-C
Data transfer rate *	5000 Mbit/s	Quick installation guide	4
Supported graphics resolutions	2048 x 1152	Quick start guide	1 x JCH377 USB-C™ 3.0 7-Port HUB,
Product colour Housing material Cable length	Silver Aluminium 0.915 m	Packaging content	1 x USB™ 3.0 Micro-B to USB- C™Cable, 1 x Power Adapter 5V / 4A, 1 x Quick Installation Guide
Plug and Play	√ ·	Performance	
Country of origin	Taiwan	Export Control Classification Number (ECCN)	EAR99
Power		Commodity Classification	
Power source type Power consumption (typical)	DC, USB 20 W	Automated Tracking System (CCATS)	8471.80.0000
Input voltage	100 - 240 V	Design	
AC input frequency	50 - 60 Hz	Cable colour	White
Output voltage	5 V	Logistics data	
Output current	0.5 A	Master (outer) case width	280 mm
USB powered	✓	Master (outer) case length	430 mm
System requirements		Master (outer) case height	235 mm
Windows operating systems supported	Windows 10, Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	Master (outer) case gross weight	7.72 kg
		Products per master (outer) case	18 pc(s)
		Master (outer) case GTIN (EAN/UPC)	24712795080951
		Shipping (inner) case width	21.2 cm
		Shipping (inner) case length	26.9 cm
		Shipping (inner) case height	13 cm
		Shipping (inner) case gross weight	2.41 kg
		Products per shipping (inner) case	6 pc(s)

System requirements		Technical details	
System requirements		recinical details	
Mac operating systems supported	Mac OS X 10.0 Cheetah, Mac OS X 10.1 Puma, Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks	Box contents	1 x JCH377 USB-C™ 3.0 7-Port HUB, 1 x USB™ 3.0 Micro-B to USB- C™ Cable, 1 x Power Adapter 5V / 4A, 1 x Quick Installation Guide
		Warranty period	2 year(s)
		Other features	
		Technical features	Aluminum housing with a compact design makes it perfect for travel, Overcurrent protection supporting
Linux operating systems supported	✓		up to 900 mA per port
Compatible operating systems	Microsoft® Windows® 10 macOS® 10.11 and later Linux® Chrome OS™		
Weight & dimensions			
Width	32.8 mm		
Depth	14.8 mm		
Height	150 mm		
Weight	69 g		
Packaging data			
Quantity per pack	1 pc(s)		
Package width	193 mm		
Package depth	125 mm		
Package height	42 mm		





847626001475

0847626001475



4712795080957



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.