Viewsonic TD2230 computer monitor 54.6 cm (21.5") 1920 x 1080 pixels Full HD LCD Touchscreen Multi-user Black

Brand : Viewsonic **Product code:** TD2230

Product name : TD2230

22", 1920 x 1080, 1000:1, 7ms, TFT, 178 $^{\circ}$ / 178 $^{\circ}$, 21,5", 50000000:1, LED, 250 cd/m2, 7H, USB 3.0, HDMI, VGA, DisplayPort, 3W x2, 19W, 22W, 25W, 28W, 100-240 V, 50/60Hz, OSD, 0 $^{\circ}$ - 40 $^{\circ}$ C, 20%-90%, VESA, 24-82 kHz, 50-76 kHz, 20 $^{\circ}$ -70 $^{\circ}$, 4.7 kg, 3.6 kg, 3.6 kg

Viewsonic TD2230. Display diagonal: 54.6 cm (21.5"), Display resolution: 1920×1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 5 ms, Viewing angle, horizontal: 178° , Viewing angle, vertical: 178° . Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting. Product colour: Black











Display		Ports & interfaces	
Display diagonal * Display resolution *	54.6 cm (21.5") 1920 x 1080 pixels	USB Type-A downstream ports quantity	2
HD type *	Full HD	HDMI *	✓
Display technology *	LCD	HDMI ports quantity	1
Panel type *	ADS	HDMI version	1.4
Touchscreen *	√	DisplayPorts quantity	1
Touchscreen type	Multi-user	DisplayPort version	1.2
Touchscreen technology	Projected capacitive system	Audio input	1
Touch technology	Multi-touch	Audio output	1
Number of simultaneous touchpoints	10	Ergonomics	
Response time	5 ms	VESA mounting *	✓
Screen shape *	Flat	Panel mounting interface	100 x 100 mm
Supported graphics resolutions Contrast ratio (typical) *	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1440 x 900 (WXGA+), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080) 1000:1	Wall mountable Tilt adjustment Tilt angle range On Screen Display (OSD) Number of OSD languages	✓ ✓ 20 - 70° ✓ 12
Contrast ratio (typical)	5000000:1	Power	
Maximum refresh rate *	76 Hz	Energy efficiency class (SDR) *	F
Viewing angle, horizontal Viewing angle, vertical	178°	Energy consumption (SDR) per 1000 hours *	
Pixel pitch	0.24825 x 0.24825 mm	Power consumption (typical) *	25 W
Horizontal scan range	24 - 82 kHz	AC input voltage	100-240 V
Vertical scan range	50 - 76 Hz	AC input frequency	50 - 60 Hz
Display diagonal (metric)	54.6 cm	Power supply type	AC
Display brightness	250 cd/m ²	Operational conditions	
Performance		Operating temperature (T-T)	0 - 40 °C
NVIDIA G-SYNC *	×	Storage temperature (T-T)	-20 - 60 °C

Performance		Operational conditions	
AMD FreeSync * Windows operating systems supported Mac operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1	Operating relative humidity (H-H) Storage relative humidity (H-H)	20 - 90% 5 - 90%
		Packaging content	
Linux operating systems supported	•	Cables included	AC, Audio (3.5mm), HDMI, USB
Other operating systems supported	Android	Weight & dimensions	
Multimedia		Width (with stand)	490 mm
Built-in speaker(s) *	✓	Depth (with stand)	47 mm
Built-in camera *	×	Height (with stand)	299 mm
Number of speakers	2	Weight (with stand)	3.58 kg
RMS rated power	6 W	Packaging data	
Built-in microphone	×	Package width	550 mm
Design		Package depth	114 mm
Product colour *	Black	Package height	371 mm
Certification	cULus, FCC-B, ICES003, Energy Star 8.0, EPEAT Bronze, CEC, MX-CoC, Mexico Energy, CE, CE EMC, CB, RoHS, ErP, REACH, WEEE, EAC, UkrSEPRO, BIS, CCC, China RoHS, China Energy Label, CECP	Package weight	4.7 kg
		Sustainability	
		Sustainability certificates	EPEAT Bronze, ErP
		European Product Registry for Energy Labelling (EPREL) code	389769
Ports & interfaces		Logistics data	
Built-in USB hub *	3.2 Gen 1 (3.1 Gen 1)	Harmonized System (HS) code	85285210
USB hub version		Technical details	
USB upstream port type Number of upstream ports	USB Type-B 1	Compliance certificates	CE, REACH, RoHS
Number of USB Type-B upstream ports quantity	1	Other features	
			476.64 260.11
		Display viewable area (HxV)	476.64 x 268.11 mm





766907842418

0766907842418

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.