

HP Z24n G3 WUXGA Display

Brand: HP Product code: 1C4Z5AA

Product name: Z24n G3 WUXGA Display

- Get remarkable color accuracy and precise, vibrant detail with 99% sRBG color gamut and WUXGA resolution^[1].
- Meticulously crafted with a frameless design this 24" (61 cm) diagonal screen monitor has 4 way ergonomic adjustability so you can work comfortably.
- Experience exceptional vibrancy with HP Eye Ease, the always on low blue light filter that reduces blue light exposure with zero impact to true color accuracy.
- Its plastics consist of over 80% recycled materials $^{[2]}$ plus it has 100% sustainably sourced and recyclable packaging $^{[3]}$.

Z24n G3 WUXGA Display

HP Z24n G3 WUXGA Display:

Exquisitely crafted for every detail

Meticulously crafted to surpass every design standard, the HP Z24n G3 WUXGA Display is the HP's thinnest 24 inch diagonal screen performance monitor. It is composed of authentic aluminum and delivers an impressive, frameless viewing experience. Bring your ideas to life with remarkable color accuracy in precise WUXGA resolution.











Display		Ergonomics	
Display diagonal *	61 cm (24")	Swivel angle range	-45 - 45°
Display resolution *	1920 x 1200 pixels	Tilt adjustment	✓
HD type *	WUXGA	Tilt angle range	-5 - 20°
Native aspect ratio *	16:10	On Screen Display (OSD)	✓
Display technology *	LED		Simplified Chinese, Traditional
Panel type *	IPS	On Screen Display (OSD) languages	Chinese, German, Dutch, English, Spanish, French, Italian, Japanese,
Touchscreen *	×		Portuguese
Display brightness (typical)	350 cd/m ²	Number of OSD languages	10
Response time	5 ms	Power	
Screen shape *	Flat		_
	640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280	Energy efficiency class (SDR) *	E
		Energy consumption (SDR) per 1000 hours *	17 kWh
Supported graphics resolutions	x 800 (WXGA), 1440 x 900 (WXGA+), 1600 x 1200 (UXGA),	Power consumption (typical) *	28 W
	1600 x 900, 1680 x 1050	Power consumption (standby) *	0.5 W
	(WSXGA+), 1920 x 1080 (HD 1080),	Power consumption (max)	63 W
	1920 x 1200 (WUXGA)	AC input voltage	100 - 240 V
Contrast ratio (typical) *	1000:1	AC input frequency	50 - 60 Hz
Contrast ratio (dynamic)	10000000:1	Operational conditions	
Maximum refresh rate *	60 Hz	Operating temperature (T-T)	5 - 35 °C
Viewing angle, horizontal	178°	Operating relative humidity (H-H)	20 - 80%
Viewing angle, vertical	178°	Storage relative humidity (H-H)	5 - 95%
Pixel pitch	0.27 x 0.27 mm	3 , , ,	3 - 93 /0
Horizontal scan range	30 - 75 kHz	Weight & dimensions	
Vertical scan range	50 - 60 Hz	Width (with stand)	531.7 mm
Viewable size, horizontal	51.8 cm	Depth (with stand)	195 mm
Viewable size, vertical	32.4 cm	Height (with stand)	521.4 mm
Display diagonal (metric)	61 cm	Weight (with stand)	4.9 kg
		Width (without stand)	531.7 mm

	Weight & dimensions	
X	Depth (without stand)	38.5 mm
×	Height (without stand)	342.9 mm
	Packaging data	
×	Package width	625 mm
	Package depth	415 mm
Business		142 mm
Silver	Package weight	7.6 kg
Hg (mercury)	Sustainability	
	Sustainability certificates	ENERGY STAR
3.2 Gen 1 (3.1 Gen 1) USB Type-B	Sustainable technologies and materials	Arsenic-free display glass; Low halogen; Mercury-free display backlights; TCO Certified; TCO Certified Edge
	European Product Registry for Energy Labelling (EPREL) code	359898
1	Logistics data	
1.4	Harmonized System (HS) code	85285210
2	Brand-specific features	
1.2	HP GTIN (EAN/UPC)	195122260699
	Other features	
100 x 200 mm 15 cm -90 - 90°	Weight Height Width Depth	4.9 kg 342.9 mm 531.7 mm 38.5 mm
	Business Silver Hg (mercury) 3.2 Gen 1 (3.1 Gen 1) USB Type-B	Depth (without stand) Height (without stand) Packaging data Package width Package depth Package height Package weight Business Silver Hg (mercury) Sustainability Sustainability Sustainability certificates Just Type-B Logistics data Logistics data Lat Lat Lat Logistics data Harmonized System (HS) code Brand-specific features HP GTIN (EAN/UPC) Other features Weight Height Width Depth Depth























































195122260590



4580511764425

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.