

## j5create JCD612 USB-C™ to 4K 60 Hz HDMI™ Travel Dock for iPad Pro®, includes 1x HDMI port and 2x USB ports, Black and Silver

**Brand :** j5create

**Product code:** JCD612-N

**Product name :** JCD612 USB-C™ to 4K 60 Hz HDMI™ Travel Dock for iPad Pro®, includes 1x HDMI port and 2x USB ports, Black and Silver



- Soft rubber to protect your device: fits flush on the corner of the iPad Pro®
  - Designed for iPad Pro®: fits perfectly with iPad Pro® 11 inch and 12.9 inch with or without a case
  - Right angle cable for your comfort: With an innovative 90-degree L-shaped design, it's more comfortable, sturdier and easier to connect the USB-C™ when you set the iPad® upright on a table.
- JCD612 USB-C to 4K 60 Hz HDMI Travel Dock for iPad Pro®, includes 1x HDMI port and 2x USB ports, Black and Silver

j5create JCD612 USB-C™ to 4K 60 Hz HDMI™ Travel Dock for iPad Pro®, includes 1x HDMI port and 2x USB ports, Black and Silver:

The JCD612 USB-C™ to 4K60 Hz HDMI™ Travel Dock for iPad Pro® provides extra connectivity for your USB-C™ Apple® computer. This pocket-sized multi-adaptor allows you to add an additional USB™ 2.0/3.0/3.1 computer peripheral, HDMI™ monitor, SD™ card reader, and a 3.5 mm audio jack through your computer's USB-C™ port.



Performance		Weight & dimensions	
Basic device type *	Tablet	Height	14.3 mm
Brand compatibility *	Apple	Weight	61.5 g
Compatibility	iPad Pro® 11 iPad Pro® 12.9" (3rd & 4th Generation) MacBook Pro® (15" 2017 & later) iMac® (Retina 5K 27" 2017 & later) iMac® (Retina 4K 21.5" 2017 & later) iMac Pro® 2018	Cable length	0.211 m
		Packaging data	
Product colour	Black, Silver	Quantity	1
Material	Aluminium	Package weight	0.1825 kg
Maximum refresh rate	60 Hz	Package type	Box
Maximum resolution	3840 x 2160 pixels	Package width	155 mm
HD type	4K Ultra HD	Package depth	95 mm
Data transfer rate	5 Gbit/s	Package height	30.8 mm
Card reader integrated	✓	Package weight	182.5 g
Compatible memory cards	MicroSD (TransFlash), SD	Packaging content	
Windows operating systems supported	✓	Quick start guide	✓
Mac operating systems supported	✓	Quick start guide language	Multi
		Packaging content	1 x JCD612, 3 x Removeable Pads, 1 x Quick Installation Guide
		Accessories included	3 x Removable Pads
Network		Operational conditions	
Bluetooth *	✗	Operating temperature (T-T)	0 - 40 °C
Ports & interfaces		Storage temperature (T-T)	-10 - 65 °C
Docking connector type *	USB Type-C	Operating relative humidity (H-H)	0 - 85%
USB hub *	✓	Technical details	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	USB ports quantity	2
USB Type-C ports quantity	1	Net weight inner carton	1.1 kg
USB Power Delivery	✓	Warranty period	2 year(s)
USB Power Delivery revision	3.0	Logistics data	
USB Power Delivery up to	100 W	Master (outer) case GTIN (EAN/UPC)	24712795085642
Audio output *	✓	Products per master (outer) case	24 pc(s)
Combo headphone/mic port	✓	Master (outer) case width	230 mm
HDMI *	✓	Master (outer) case length	435 mm
HDMI connector type	Full-size	Master (outer) case height	190 mm

Ports & interfaces		Logistics data	
HDMI ports quantity	1	Master (outer) case gross weight	5.25 kg
<b>Power</b>		Country of origin	Taiwan
Power source type	USB	Products per shipping (inner) case	6 pc(s)
Power consumption (max)	2.25 W	Shipping (inner) case length	21.8 cm
DC output current	0.45 A	Shipping (inner) case width	10.3 cm
DC input voltage	5 V	Shipping (inner) case height	16.5 cm
<b>Weight &amp; dimensions</b>		Export Control Classification Number (ECCN)	EAR99
Width	66 mm		
Depth	66 mm		



4712795085648



(01)24712795085642

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.