

## HP Designjet Z3200 Photo Printer, 24" large format printer Colour 2400 x 1200 DPI 610 x 1676 mm Ethernet LAN

Brand : HP Product family: Designjet Product code: Q6718B

**Product name :** Designjet Z3200 Photo Printer, 24"

HP Designjet Z3200 24-in Photo Printer

HP Designjet Z3200 Photo Printer, 24". Maximum resolution: 2400 x 1200 DPI, Page description languages: PCL 3, Printing colours: Blue, Cyan, Green, Light Cyan, Light magenta, Magenta, Red, Yellow. Maximum print size: 610 x 1676 mm, Media thickness: 0.8 mm, Maximum roll length: 91.4 m. Ethernet interface type: Fast Ethernet, USB connector: USB Type-A, Ethernet LAN data rates: 10/100Base-T. Internal memory: 256 MB, Internal storage capacity: 80 GB, Storage media: HDD. Power requirements: 100 - 240v AC, 50/60Hz, Power consumption (typical): 200 W







Printing		Performance	
Colour * Maximum resolution *	2400 x 1200 DPI 12	Sound pressure level (printing)	49 dB
		Power	
Number of print cartridges *		Power requirements	100 - 240v AC, 50/60Hz
Page description languages *	PCL 3 Blue, Cyan, Green, Light Cyan, Light	Power consumption (typical)	200 W
Printing colours *	magenta, Magenta, Red, Yellow 12.4ppm 3.8ppm 130ml	Operational conditions	
Print speed (best quality) Print speed (normal quality) Print cartridge volume (metric)		Operating temperature (T-T) Operating relative humidity (H-H) Storage temperature (T-T)	5 - 40 °C 20 - 80% -25 - 55 °C
Paper handling		Operating temperature (T-T)	41 - 104 °F
Maximum print size *	610 x 1676 mm	Storage relative humidity (H-H)	0 - 95%
Cut sheets * Media thickness Maximum roll length Maximum roll width Maximum roll diameter	0.8 mm 91.4 m 61 cm 13.4 cm	System requirements	
		Mac compatibility	✓
		Compatible operating systems	Windows Vista/XP Professional/Server 2003/Server 2008 Mac OS X v 10.4/0.5/10.6
Roll top margin	5 mm	Sustainability	
Roll paper	✓	Sustainability certificates	ENERGY STAR
Ports & interfaces		Weight & dimensions	
Ethernet interface type Ethernet LAN * USB port * USB connector USB 2.0 ports quantity Ethernet LAN data rates	Fast Ethernet  ✓	Dimensions (WxDxH) Weight	1262 x 690 x 1047 mm 65 kg
	✓ USB Type-A	Packaging data	
	1 10/100Base-T	Package weight Package dimensions (WxDxH)	88.5 kg 1470 x 780 x 740 mm
RJ-45 ports quantity	1	Other features	
Performance		Line accuracy	+/- 0.2%
Internal memory	256 MB	Glossy paper	✓
Internal storage capacity	80 GB	Coated paper	✓
Storage media	HDD	Photo paper	<b>√</b>
		Vinyl media	<b>√</b>
		Proofing paper	✓

Other features	
Roll-up film	✓























this Information is provided the based on the Information. Suppliers or aggregators of this information is provided the based on the Information. Suppliers or aggregators of this information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party 0-8-6-1-1 alegorate by Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.