

Lindy DST-Pro USB4, USB-C Laptop Docking Station

Brand : Lindy

Product code: 43372

Product name : DST-Pro USB4, USB-C Laptop Docking Station

- Connects an HDMI and/or a DisplayPort display, USB peripherals and power over a single cable
- Supports 8K 30Hz for a single display or 4K 60Hz for two displays (MST)*
- Integrated 4 port USB SuperSpeed 10Gbps Hub (3 x Type A, 1 x Type C)
- USB Power Delivery capable up to 100W
- 2 year warranty

DST-Pro USB4, USB-C Laptop Docking Station

Lindy DST-Pro USB4, USB-C Laptop Docking Station. Connectivity technology: Docking, Host interface: USB4, USB Power Delivery up to: 100 W. Ethernet LAN data rates: 1000 Mbit/s. Product colour: Anthracite, Compatible memory cards: MicroSD (TransFlash), SD, Data transfer rate: 1 Gbit/s. Power source type: USB, Power consumption (max): 20 W. Sustainability certificates: CE, Federal Communications Commission (FCC), REACH, RoHS



Ports & interfaces

Connectivity technology *	Docking
Host interface *	USB4
USB 2.0 ports quantity *	3
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	3
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1
USB4 ports quantity	1
PowerShare	✓
Number of USB ports with PowerShare support	3
USB Power Delivery	✓
USB Power Delivery revision	3.0
USB Power Delivery up to	100 W
HDMI ports quantity *	1
HDMI version	2.1
DisplayPorts quantity	1
DisplayPort version	1.4
Microphone in *	✓
Combo headphone/mic port	✓
Headphone outputs *	1
Headphone connectivity	3.5 mm
HDCP	✓
HDCP version	2.2
USB Type-C DisplayPort Alternate Mode	✓

Network

Ethernet LAN *	✓
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	1000 Mbit/s

Performance

Card reader integrated *	✓
Compatible memory cards	MicroSD (TransFlash), SD
Data transfer rate	1 Gbit/s
Maximum digital resolution	7680 x 4320 pixels
Number of displays supported	2
Maximum refresh rate	120 Hz
Product colour *	Anthracite
Housing material	Aluminium

Power

Power source type	USB
Power consumption (max)	20 W

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-10 - 70 °C
Operating relative humidity (H-H)	10 - 90%

Sustainability

Sustainability compliance	✓
Sustainability certificates	CE, Federal Communications Commission (FCC), REACH, RoHS

Weight & dimensions

Width	129 mm
Depth	69.5 mm
Height	48 mm
Weight	300 g

Packaging data

Package width	174 mm
Package depth	151 mm

Packaging data

Package height	56 mm
Package weight	400 g

Packaging content

Cables included	USB Type-C to USB Type-C
Manual	✓



4002888433723

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 09-MAY-2024. Prints or copies of Information are only valid on the printed Publication date